





500 V3/500/1 EE




Упа
11

Дата

Номер
Пар
Упа
Номер
в
Зав
Пун



1



Hitachi GmbH, Hilfststraße 6, D-66316 Kallmaring


+49 8191 90-0

HITACHI HIT-RE 500 V3

HITACHI HIT-RE 500 V3

HITACHI HIT-RE 500 V3

ИН ЛТД 630047 Улсга ол
Хайрхал, ул Дорнод
Хайрхал ФГУП "ГВ, 672014, Росси, край
ул, ул Пограничная дом 9, помеще-




OVB
18.03.2020

АВТО 1e 1

30

CB (2)

5140002704



9445838

Категория: ОБЫК



HILTI



Danger



Contains: Bispheno-A-Epichlorhydrin (Average MW < 700 (A); Trimethylpropan-1,1,1-trisäureester (A); 2-methyl-1,5-pentanediamine (B); m-Xylenediamine (B);

Causes severe skin burns and eye damage (A, B)
May cause an allergic skin reaction (A, B)
May cause respiratory irritation (B)
May damage fertility (A)
Toxic to aquatic life with long lasting effects (A)

HILTI
Instru...
Gebrauch...
Instru...
Nährst...
Nährst...
Bräun...
Brennst...
Verzurr...
Klebst...
Bräun...
Pflanz...
Instru...
Hilfs...
Nährst...
Klebst...
Klebst...

2



32



Hit-HY 200-A
+287 01
707 8

Hilti
Hilti-Strasse 6, D-86916 Kaufering
www.hilti.com



Contains: hydroxypropylmethacrylate, (A)
Benzoyl peroxide (B)
May cause an allergic skin reaction (A)
Causes serious eye irritation (A)
Very toxic to aquatic life (B)

HILTI HIT-HY 200-A

- Instruction for use
- Mode d'emploi
- Manual de instrucciones
- Instruções de utilização
- Οδηγίες χρήσης
- Käyttöohje
- Инструкция по применению
- Lietošanas instrukcija
- Naudojimo instrukcija
- Kasutusjuhend
- Kullanma talimat
- إرشادات الاستخدام
- Arahan penggunaan
- Hướng dẫn sử dụng
- คำแนะนำการใช้งาน
- 使用説明
- 사용설명서
- 取扱説明書



dp

OVB
18.03.2020

ABTO
CB

40002704

9445862

Made in Germany