









ecowin G601

DOT F69M YA6L 4320

SAFETY WARNING
MAX LOAD 600kg (1323lb)
MAX PRESS 300kPa (43.5psi)

READ O/EEL - 2/PROTECT
RIDEWELL PROTECTIVE

185/65 R15 84H









ООО «ХЕНДЭ МОТОР
 МАШУАКТУРИНГ РУС»
 TC RU E-RU.MT02.00590
 Z94K241CBMR261796

МОДЕЛЬ: SOLARS
 1- 1610 КГ
 2- 2410 КГ
 850 КГ
 840 КГ

EAC

Call type inflation pressure
 Pression de gonflage des pneus (type)
 Pressione pneumatiche (sostiene a temperatura ambiente)
 Pressione des pneus à froid
 Inflationsch - kalt



	
200/55/23	200/55/23
200/60/23	200/60/23







RADIO

MEDIA

PHONE

SETUP
CLOCK

MENU

BACK



Среда, 22.11.2023

Bluetooth

SEEK TRACK

PRESET

1

2

3

4

5

6



A/C









8595MB 147.
RUS







P 0 km/h
112 km
285 L/100km
-7°C 10 1236 km



Steering wheel left-side controls including buttons for voice search, volume, and other functions.

RESET TRIP



AIRBAG



SOLARIS

B595MB



Control panel with two hand icons and a central USB port.

Two circular ports (likely 12V) and a USB port.

Shift selector panel with 'SHIFT LOCK RELEASE' button and gear positions: P, R, N, D, +, -.

